

FF-drän



ÖNORM B5140

DIN 1187

Flexible PVC-U drainage pipe; colour yellow; 1.2 mm standard perforation width.

Application: in many fields of drainage, e.g., civil engineering, gardening and landscaping, cemeteries, agricultural drainage, etc.

Product	Cat. no.	Technical data	PU	Price [€/m]
FF-drän	53100050	DN 50	50 m coil	
	53100065	DN 65	50 m coil	
	53100080	DN 80	50 m coil	
	53100100	DN 100	50 m coil	
	53100125	DN 125	50 m coil	
	53100160	DN 160	50 m coil	
	53100200	DN 200	45 m coil	
FF-drän unperforated	53120050	DN 50	50 m coil	
	53120065	DN 65	50 m coil	
	53120080	DN 80	50 m coil	
	53120100	DN 100	50 m coil	
	53120125	DN 125	50 m coil	
	53120160	DN 160	50 m coil	
	53120200	DN 200	45 m coil	
FF-drän bulk coil	53105050	DN 50	200 m coil	
	53105065	DN 65	150 m coil	
	53105080	DN 80	100 m coil	
	53105100	DN 100	100 m coil	

Kokofil



ÖNORM B5140

DIN 1187

FF-drän with coir wrapping.

Application: in many fields of drainage, particularly in gardening and landscaping, agricultural drainage, etc.

Product	Cat. no.	Technical data	PU	Price [€/m]
Kokofil	53200050	DN 50	50 m coil	
	53200065	DN 65	50 m coil	
	53200080	DN 80	50 m coil	
	53200100	DN 100	50 m coil	
	53200125	DN 125	50 m coil	
	53200160	DN 160	25 m coil	
	53200200	DN 200	20 m coil	
Kokofil bulk coil	53205050	DN 50	200 m coil	
	53205065	DN 65	150 m coil	
	53205080	DN 80	100 m coil	

Multifil

FF-drän with PP fibre wrapping.

Application: both in agricultural drainage and in gardening and landscaping.



ÖNORM B5140

DIN 1187

Product	Cat. no.	Technical data	PU	Price [€/m]
Multifil	53210050	DN 50	50 m coil	
	53210065	DN 65	50 m coil	
	53210080	DN 80	50 m coil	
	53210100	DN 100	50 m coil	
	53210125	DN 125	50 m coil	
	53210160	DN 160	25 m coil	
	53210200	DN 200	20 m coil	
Multifil bulk coil	53215050	DN 50	200 m coil	
	53215065	DN 65	150 m coil	
	53215080	DN 80	100 m coil	

Sleeve filter

FF-drän with cover sleeve.

Application: both in agricultural drainage and in gardening and landscaping.



ÖNORM B5140

DIN 1187

Product	Cat. no.	Technical data	PU	Price [€/m]
Sleeve filter	53232050	DN 50	50 m coil	
	53232065	DN 65	50 m coil	
	53232080	DN 80	50 m coil	
	53232100	DN 100	50 m coil	
	53232125	DN 125	50 m coil	
	53232160	DN 160	25 m coil	
	53232200	DN 200	20 m coil	

FF-drän with PY geotextile wrapping

Application: both in agricultural drainage and in gardening and landscaping.



ÖNORM B5140

DIN 1187

Product	Cat. no.	Technical data	PU	Price [€/m]
FF-drän with PY geotextile wrapping 70	53230050	DN 50	50 m coil	
	53230065	DN 65	50 m coil	
	53230080	DN 80	50 m coil	
	53230100	DN 100	50 m coil	
	53230125	DN 125	50 m coil	
	53230160	DN 160	25 m coil	
FF-drän with PY geotextile wrapping 135	53230200	DN 200	20 m coil	
FF-drän with PY geotextile wrapping 70 bulk coil	53235050	DN 50	200 m coil	
	53235065	DN 65	150 m coil	
	53235080	DN 80	100 m coil	

PE-drän



Totally perforated corrugated PE pipe; colour black with yellow coloured stripe; ring stiffness class SN 8; total perforation area larger than or equal to 50 cm²/m; 1.2 mm perforation width.

Complies with DIN 1187 and DIN 4262-1.

Application: in many drainage applications, e.g., civil engineering, gardening, landscaping and sports field construction, cemeteries, agricultural drainage, surface drainage, deep drainage, etc.

NB

Not suited for building drainage according to DIN 4095.

Product	Cat. no.	Technical data	PU	Price [€/m]
PE-drän	53103065	DN 65, with metre marking	50 m coil	
	53103080	DN 80, with metre marking	50 m coil	
	53103100	DN 100, with metre marking	50 m coil	
PE-drän bulk coil	53108065	DN 65	150 m coil	
	53108080	DN 80	100 m coil	
	53108100	DN 100	100 m coil	
PE-drän unperforated	53123080	DN 80	50 m coil	
	53123100	DN 100	50 m coil	

PP-drän



Unperforated corrugated PP drainage pipe; colour blue; ring stiffness larger than or equal to 10 kN/m² ("SN 10"); in conformity with DIN 1187 and DIN 4262-1.

Application: as so-called "dummy pipe" for groundwater lowering, connects directly to pumps (vacuum extraction for deep drainage).

Product	Cat. no.	Technical data	PU	Price [€/m]
PP-drän	53123081	DN 80	50 m coil	
	53123101	DN 100	50 m coil	

opti-drän® pipe

Straight length PVC-U drainage pipe according to DIN 4095; 80 cm²/m minimum perforation area; flexible and quality-monitored; colour orange; 2.50 m individual length with one coupling.

DIN 4095

DIN 1187



Application: opti-drän system component; all fields of building drainage.
0.5 % minimum slope.

Product	Cat. no.	Technical data	PU	Price [€/m]
opti-drän perforated	50100100	DN 100; 2.5 m length	330 m/pal.	
	50100125	DN 125; 2.5 m length	202.5 m/pal.	
	50100160	DN 160; 2.5 m length	115 m/pal.	
	50100200	DN 200; 2.5 m length	75 m/pal.	
opti-drän unperforated	50110100	DN 100; 2.5 m length	330 m/pal.	
	50110125	DN 125; 2.5 m length	202.5 m/pal.	
	50110160	DN 160; 2.5 m length	115 m/pal.	
	50110200	DN 200; 2.5 m length	75 m/pal.	

Please refer to pages 8–10 for accessories.